



The City of Menifee has adopted the **2016 California Building Code**, which is based on the following Model Codes:

**2015 International Building Code**  
**2015 International Residential Code**  
**2014 National Electric Code**  
**2015 Uniform Plumbing Code**  
**2015 Uniform Mechanical Code**

The Wind Speed for the City of Menifee is *Vult @ 110mph, Vasd @ 85mph*, per California Building Code, Section 1609A.3 and 1609A.3.1.

The Exposure Category is 'Exposure C' California Building Code Section 1609.4. There is no Snow Load per California Building Code Section 1608.2.

**1603.1.5 Earthquake design data.** The following information related to seismic loads shall be shown, regardless of whether seismic loads govern the design of the lateral force-resisting system of the structure:

1. Risk category.
2. Seismic importance factor, *Ie'*
3. Mapped spectral response acceleration parameters, *Ss* and *S1'*
4. Site class.
5. Design spectral response acceleration parameters, *Sds* and *Sd1'*
6. Seismic design category.
7. Basic seismic force-resisting system(s).
8. Design base shear(s).
9. Seismic response coefficient(s), *Cs'*
10. Response modification coefficient(s), *R*.
11. Analysis procedure used.

The following Link has been provided for access to the 2016 California Building Codes:

<http://www.bsc.ca.gov/codes.aspx>