



1. PVC CAP SECURE WITH STAINLESS STEEL TAP SCREW
2. 3 RAIL PVC POST @ 8' O.C. MAX.
3. 1-1/2-INCH X 5-1/2-INCH PVC RAIL TYP.
4. #4 REBAR SECTION 2 INCHES FROM POST EDGE
5. UNDISTURBED NATIVE SOIL
6. FINISH GRADE 1-INCH ABOVE GRADE FOR TURF AND 2 INCHES FOR PLANTERS
7. CONCRETE FOOTING

**SECTION  
NO SCALE**

NOTES:

- A. WHERE PVC FENCING IS ADJACENT TO CONCRETE, TURF OR PROJECT BOUNDARY, PROVIDE A CONCRETE MOW CURB ALONG FENCE LINE.
- B. TOP OF FOOTING MUST BE AT ELEVATION TO ACCOMMODATE 6-INCH DEEP FORM BOARDS AND CONCRETE MOW CURB TO BE POURED AFTER FOOTING AND POST INSTALLATION.

APPROVED BY:

*Jonathan George Smith*

4/24/15

DIRECTOR OF PUBLIC WORKS  
JONATHAN GEORGE SMITH

DATE



CITY OF MENIFEE

**PVC FENCING  
SIDE VIEW  
(3-RAIL)**

REVISION	BY:	APPROVED	DATE