



1. CONNECTION TO PVC LATERAL LINE WITH PVC SCHEDULE 40 UVR PVC TEE (SLIP X SLIP)
2. 3/4-INCH MINIMUM SCHEDULE 40 UVR PVC LATERAL LINE, INSTALL PARALLEL TO FACE OF SLOPE WITH NO ELEVATION CHANGE OVER 18 INCHES
3. EPOXY COATED REBAR J-HOOK PER SPECIFICATIONS
4. 1/2-INCH SCHEDULE 40 UVR PVC PIPING AS REQ'D. INSTALL PERPENDICULAR TO SLOPE
5. SCHEDULE 40 UVR PVC ELL SLIP X FT
6. SCHEDULE 40 UVR PVC TEE SLIP X FT
7. 1/2-INCH X 12 INCHES SALCO OR GPH FLEXIBLE TUBING RISER ASSEMBLY WITH MALE ADAPTERS ON EACH END.
8. 9-INCH PVC COATED GALVANIZED STAPLE
9. TREE PLANTING PER PLANTING PLANS
10. 1/2-INCH SALCO OR GPM FLEXIBLE TUBING RISER ASSEMBLY WITH MALE ADAPTERS ON EACH END. LENGTH AS REQ'D. TO CENTER EMITTER AROUND ROOTBALL
11. LOW VOLUME DRIP EMITTER PER SPECS. AND PLAN - SEE DRIP SCHEDULE BELOW

NOTES:

- A. ALL TREES SHALL RECEIVE THE NUMBER OF DRIP EMITTERS SHOWN BELOW.
 - 5 AND 15 GALLON TREES - 4 DRIP EMITTERS
 - 24" BOX TREES - 4 DRIP EMITTERS
 - 36" BOX TREES - 5 DRIP EMITTERS
 - 48" BOX TREES - 6 DRIP EMITTERS
- B. DRIP EMITTERS SHALL BE PLACED DIRECTLY ADJACENT TO TREE ROOTBALL.
- C. ALL IRRIGATION SHALL BE COMPLETELY INSTALLED PRIOR TO PLANTING.
- D. ALL PIPE AND FITTINGS SHALL BE PVC SCH. 40 UV-RESISTANT.
- E. ALL PIPING SHALL BE BURIED 4 INCHES MIN.

PLAN
NO SCALE

APPROVED BY:

Jonathan George Smith

4/24/15

DIRECTOR OF PUBLIC WORKS
JONATHAN GEORGE SMITH

DATE



CITY OF MENIFEE

**TREE EMITTER
ASSEMBLY LAYOUT**

REVISION	BY:	APPROVED	DATE