



1. POST CAP / SECURE WITH STAINLESS STEEL TAP SCREWS (4)
2. 3 RAIL POST @ 8' O.C. MAX.
3. 1-1/2-INCH X 5-1/2-INCH RAIL TYP.
4. #3 REBAR / 2 INCHES FROM POST EDGE
5. UNDISTURBED NATIVE SOIL
6. FINISH GRADE 1-INCH ABOVE GRADE FOR TURF AND 2 INCHES FOR PLANTERS
7. CONCRETE FOOTING
8. HOLES IN BOTTOM OF POST TO LOCK POST INTO CONCRETE

SECTION
NO SCALE

NOTES:

- A. OMIT FENCING WITHIN SIGHT DISTANCE RESTRICTED ZONES.
- B. WHERE FENCING IS ADJACENT TO TRAIL, TURF, OR PROJECT BOUNDARY, INSTALL CONCRETE MOW CURB ALONG FENCE LINE.
- C. FENCING MANUFACTURER, COLOR, AND TEXTURE SHALL BE REVIEWED / APPROVED BY CITY.
- D. CONCRETE SHALL BE CLASS 560-C-3250.
- E. POST & RAIL MATERIAL : HDPE / WALL THICKNESS: 0.25"

APPROVED BY:

Jonathan S. Li

4/24/15

DIRECTOR OF PUBLIC WORKS
JONATHAN GEORGE SMITH

DATE



CITY OF MENIFEE

FENCING
SIDE VIEW
(3-RAIL)

| REVISION | BY: | APPROVED | DATE |
|----------|-----|----------|-----------|
| 1 | GH | RL | 4-01-2017 |

STANDARD PLAN NO. 1301.05 SHEET 1 OF 1